# UV-222 Intelligent Mobile Bacteriostatic Booth





# Specification

Casing Dimension:	1700x1000x2350mm		
Casing Material:	Cold rolled painting stainless steel		
Pedal:	SUS304		
Supply:	1Ph 110V, 50/60Hz		
Light:	Quark		
System:  Use UV-222nm UV technology to inhibit viruses in object also can effectively prevent COVID-19 infection.			

## Direction





Please measure your temperature and disinfect your hands before entering the bacteriostatic booth.



2

After measuring the temperature, please enter the bacteriostatic booth for sterilization. (The LED is green)



# Direction





In the bacteriostatic booth, UV light will disinfect for 10 Seconds.

(The LED is red)






The alarm will sound when there are 3 seconds left, which means the disinfection has been compeleted.

(LED will change from red to green)

# Beneficial of UV-222nm




Different from the previous sterilization mode, it brings us a safer and more effective sterilization effect!



The UV "254nm", which is generally used for sterilization, has strong sterilization ability but can cause harm to the human body and can only be used in places where there are no people.



According to the research of Columbia University (USA) since 2015, only 222nm wavelength ultraviolet with sterilization ability has more effectiveness which can eliminate 99.9 % virus. It is also not harmful to human body.



# Comparison Of Sterilization


Best Results	New Type Light Sterilization	Sterilization Medicine/ Bleach	75% Alcohol	UV Rays For General Sterilization
Sterilization Ability				
Object Surface	( <u>-</u>			
Space/Air	( <del>-</del>	(X)	\(\frac{1}{2}\)	( <del>-</del>
Maintained For A Long Time	( <u>-</u> )	<u>:</u>		
Harmless To Human Body	-	(X)	<u>·</u>	X

# Application



222nm wavelength ultraviolet light can not replace regular lighting system, but it can be build in with daily lighting system.

222nm wavelength ultraviolet light can apply to various environments such as entrances, exits, elevators, conference rooms, and household ceiling.





# Expert Endorsement



### **#Columbia University, USA**

Seasonal coronavirus can effectively prevent its activity when exposed to 222nm far ultraviolet light for only 25 minutes, and the virus inactivation rate is 99.9%.

### #Public Library of Science 》 (PLOS ONE) Periodical

Three months after the irradiation, the researchers found that the volunteers' skin test areas did not show any signs of erythema, and no adverse reactions were found.

### **#Kobe University, Japan**

Repeatedly irradiating the skin with filtered 222nm UVC light will not cause it to suffer from skin cancer or cataracts.

Ultraviolet radiation with a wavelength of 222nm is harmless to human skin and eyes.

### # 《Nature》 Magazine

In June 2020, a study published in far ultraviolet (222nm) indicates that this method can effectively and safely prevent humans from spreading coronavirus.



### Recommended by Professor Hao-chung Kuo (Professor of National Yang Ming Chiao Tung University) Research Topics-Nanostructured Optoelectronic Materials and Devices

Research expertise - III-V(Nitride) high speed semiconductor laser technology and related research

## **#National Yang Ming Chiao Tung University, Taiwan**

The new 222nm wavelength ultraviolet light is very suitable for sterilization lamps installed in general shopping malls or department stores. Professor of department of Photonics Hao-chung Kuo said.

### **#Shimane University, Japan**

Sachiko Kaidzu found that 222nm ultraviolet has no damage to the rat cornea.

### **#Hiroshima University, Japan**

The far UVC 222nm light can further reduce the proportion of surface contamination of SARS-CoV-2 (This virus van cause COVID-19) by more than 99.7%.



Identification No.: TOOC2107000209O0-00

#### Test Date

July 22th, 2021 to July 28th, 2021

#### Sample Q'ty

Q' ty	Model	Sample No (S/N)
1	eVIO-100	# 1

#### 3 Test Items

#### 3.1 Spectral Measurement

According to the test specifications provided by the customer, the test is carried out at a distance of 30 cm from the object to be tested.

#### Test Equipment:

Name	Brand	Model	S/N	Calibration Due Day
IDR300 system	BENTHAM	IDR300	OPG-0001	2021/10/15
Digital Power Meter / AC Source	YOKOGAWA / Chroma	WT-210 / 61601	OPG-0015 / OPG-0010	2022/02/18

### Laboratory Environmental Conditions:

Ambient temperature: (25 ± 1) °C

Relative humidity:  $(60 \pm 20)$  %RH

Dark room: < 0.05 lx

DU T Condition:

Power input: DC 12 V Warm up time: 15 minutes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


33, Wu Chuan Road, Wu Ku District, New Taipei City, Taiwan /新北市五股區五權路 33 號 www.sas.tw



Identification No.: TOOC2107000209O0-00

#### 5 Test Result

#### 5.1 Spectral Measurement



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

33, Wu Chuan Road, Wu Ku District, New Taipei City, Taiwan /新北市五股區五權路 33 號




Identification No.: TOOC2107000209O0-00

#### 6 Sample



<u>Test Sample</u>



<u>Test Sample</u>

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

33, Wu Chuan Road, Wu Ku District, New Taipei City, Taiwan /新北市五股區五權路 33 號